

Smart connectivity for Tunnel Management



B+B SMARTWORX

Powered by

ADVANTECH


Intelligence at the Network Edge

INTELLIGENT INFRASTRUCTURE FOR TUNNEL MANAGEMENT

Reliable, industrial hardened products working together in Intelligent Infrastructure

An Advantech B+B SmartWorx customer needed a tunnel management system that could stand up to difficult environmental conditions while simultaneously providing travelers with timely information, managing lane usage, monitoring for hazards like carbon monoxide and fire, and controlling subsystems like the HVAC, lighting and CCTV video enforcement systems. The system would need to unite disparate data networking interfaces and protocols in an a single, seamless system, bridging the gaps between a wide variety of data networking technologies.

With its full portfolio of data networking products, Advantech B+B SmartWorx was able to provide a complete solution.



Managed Hardened Switch SEGP510-2SFP-T

Advantech B+B SmartWorx supplied these fully managed Gigabit Ethernet switches to aggregate the data from tunnel control systems like HVAC Control, Lighting Control, Lane Control, Emergency Management and Video Surveillance.

With industrial, ruggedized features, these switches provide all of the basic functions you expect in a managed switch, such as VLAN, IGMP Snooping, Network Redundancy, SNMP V1,V2c,V3, Web and Telnet support. These switches support comprehensive network features such as SSH,



HTTPS/SSL, TLS, TTLS, PEAP and Radius. Additionally, they include XM™, the industry leading cross management technology. IXM™ features an auto synchronization function to make deployment of multiple switches fast and easy.

UNO-1483G FanlessController



Advantech B+B SmartWorx selected these fanless controllers to control various systems like the tunnel HVAC. The UNO-1483G is an Intel 4th generation Core i3 DIN-Rail controller that features dual power inputs, general purpose input/output ports, a PCIe slot and Advantech iDoor technology. iDoor Technology gives customers the flexibility to configure the various I/O requirements based on different applications. iDoor modules include: Fieldbus protocol; digital, analog and expansion I/O; smart sensor, communication and memory. The UNO-1483G ports include 4 x GbE, 4 x USB 2.0/3.0, 1 x RS-232, 2 x RS-422/485, 1 x VGA, 1 x DP, and 1 Audio. Certifications include CE, FCC, UL, CCC, and BSMI.

Wzzard Wireless Sensor Platform

Advantech B+B SmartWorx provided the Wzzard Wireless Sensor platform to monitor environmental parameters like temperature, carbon dioxide, carbon monoxide and fire. The platform uses Intelligent Edge Nodes to provide wireless mesh network connectivity for industry-standard sensors. The mesh network carries the data to the Spectre Network Gateway, which provides the network connection. The Intelligent Edge Nodes

nodes can be externally powered, if so desired, but will remain in service for many years on battery power alone. Each node can collect data from up to three attached sensors and transmit the data across the wireless mesh network. As each node has routing capabilities, the mesh network is self-forming and self-healing. This means that individual nodes need not be within range of the gateway -- the data will simply travel from node to node until it reaches the destination. Nodes are available with an integrated or longer range external antenna, allowing for connectivity distances of up to 500 meters outdoors and 200 meters indoors.



+ GLOBAL REACH FOR GLOBAL SUPPORT

You build your business and we will build your communication solution. Whether you need standard products or require special designs for specific applications – Advantech B+B SmartWorx can help.

B+B SMARTWORX

Powered by

ADVANTECH

Worldwide Headquarters

ADVANTECH
No.1, Alley20, Lane26, Rueiguang Road
Neihu District, Taipei 11491
Taiwan, R.O.C
Phone: 0800-777-111
www.advantech.com

European Headquarters

Oranmore, Co. Galway, Ireland
Phone: +353 91 792444
Fax: +353 91 792445
eSales@advantech-bb.com

Corporate Headquarters

707 Dayton Road
Ottawa, IL 61350 USA
Phone: 1-815-433-5100
Fax: 1-815-433-5109
orders@advantech-bb.com
www.advantech-bb.com

Middle East, UAE, Africa

mdeast-afrsales@advantech-bb.com
Mobile: +971 50 943 65 62
AG Silver Tower, JLT, P.O. Box 48777
Dubai, UAE

Cellular Product Group

Sokolská 71, 562 04 Ústí nad Orlicí III.
Czech Republic
Phone: +420 465 521 020
Fax: +420 464 647 299
GSM: +420 603 872 287
cellularsales@advantech-bb.com

Latin America, Carribean

latamsales@advantech-bb.com
Phone: 1-727-797-0300
Cell: 1-727-480-5920

OEM & Product Modification

Phone: 815-433-5222
Fax: 815-433-5104
Attn: Custom Dept.
custom@advantech-bb.com
Custom Quote Request Form:
<http://advantech-bb.com/custom>